

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.




Schnitt 0 - 180

Schnitt 90 - 270

Schnitt 45 - 265

Schnitt 135 - 315

Fig. 97A Fig. 97B Fig. 97C Fig. 97D



F: S. 58




Fig. 1






Fig. 2








Fig. 7




Fig. 8




Fig. 9





Fig. 10






Fig.12









Fig.13







Fig. 21

Fig. 22







Fig. 23

Fig. 24






Fig.31

09963330 .041202





Fig.32



09963330 .041202




Fig.38





Fig.39







Fig.44a






Fig.44b





Fig. 45

09963330 .041202



**FIG 46**

09963330 . 041202




Fig.47




Fig.48




Fig.49





Fig.50






Fig. 56




Fig. 57





Fig.58






Fig.64








Fig.65






Fig. 70.

09963330 . 041202




Fig.71

09963330 .041202




Fig.72

09963330 . 041202




Fig.73

09963330 . 041202









Fig.74














2010  
2010

Fig.79b



09963330 .041202




Fig.80

09963330 .041202




Fig.81

69963430 - 041202




Fig.82

09963430 .041202








Fig.83






Fig. 88a




Fig.88b

09963730 . 041202




Fig.89

09963330 .041202




Fig.90

09963330 .041202




Fig.91

09963330 . 041202




Fig.92

Längsschnitte	GriffgröÙe	Handbreite b	Griff-länge L	L0	L1	LII	LIV	R	R1	R2	R3
M	92	140	0,5 b								
L 1 = 0°				46	51	34	58	.1	65	90	70
2 = 90°					41	30	58	.2	130	110	90
3 = 180°					41	25	58	.3	150	100	130
4 = 270°					41	30	58	.4	75	90	70
5 = 45°					47	33	58	.5	85	90	70
S	86	140/135									
L 1				43	48	32	58/54	61	84	66	
L 2					38	28	58/54	122	103	84	
L 3					38	23	58/54	140	93	121	
L 4					38	28	58/54	70	84	66	
L 5					44	31	58/54	79	84	66	
L	96	140/145									
L 1				48	53	35	60/58	68	94	73	
L 2					43	26	60/58	136	115	94	
L 3					43	35	60/58	156	104	135	
L 4					43	31	60/58	78	94	73	
L 5					49	34	60/58	89	94	73	

Griff gem. Fig. 14-18

20.09.01

Fig. 93 a

Querschnitt		B	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	M																			
R 10	mm	12	9	9	8	10	10	11	11	14	15	15	16	14	13	13	13	13	13	
11	mm	20	22	21	21	18	16	17	21	19	16	18	19	20	20	20	22	22	22	
12	mm	15	14	12	10	9	9	10	13	14	16	17	19	13	12	12	13	13	13	
13	mm	20	18	22	25	22	27	26	29	30	9	7	7	24	23	23	23	23	23	
A 1	mm	20	17	16	15	15	16	18	19	20	20	18	17	17	17	17	17	17	17	
2	mm	17	14	13	12	12	12	13	14	15	15	14	13	13	13	13	13	13	14	
3	mm	18	16	15	14	13	12	13	14	13	13	13	14	14	15	15	15	16	16	
4	mm	18	15	14	13	12	11	11	14	15	16	16	14	13	13	13	13	14	14	
5	mm	17	15	14	13	13	13	15	17	18	17	16	14	14	13	13	13	14	14	
Griffgröße L																				
R 10	mm	13	10	10	9	10	11	12	12	15	16	16	17	15	14	14	14	14	14	
11	mm	21	23	22	22	19	17	18	22	22	20	17	19	20	21	21	21	23	23	
12	mm	16	15	13	11	10	10	11	14	15	17	18	20	14	13	13	14	14	14	
13	mm	21	19	24	26	23	28	27	30	31	10	8	8	25	24	24	24	24	24	
A 1	mm	21	18	17	16	16	16	17	19	20	21	21	19	18	18	18	18	18	18	
2	mm	18	15	14	13	13	13	14	15	16	16	15	14	14	14	14	14	15	15	
3	mm	19	17	16	15	14	13	14	14	15	14	14	14	15	16	16	17	17	17	
4	mm	19	16	15	14	13	12	12	15	16	17	17	15	14	14	14	15	15	15	
5	mm	18	16	15	12	14	14	14	16	18	19	18	17	15	14	14	14	15	15	

		B	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	L																			
R 10	mm	13	10	10	.9	11	11	12	12	15	16	16	17	15	14	14	14	14	14	
11	mm	22	23	22	22	19	17	18	22	20	17	19	20	20	21	21	21	21	23	
12	mm	16	15	13	11	10	10	11	14	15	17	18	20	14	13	13	13	13	14	
13	mm	21	19	23	26	23	28	27	30	31	10	8	8	25	24	24	24	24	24	
A 1	mm	18	18	17	16	16	16	17	19	20	21	21	19	18	18	18	18	18	18	
2	mm	19	15	14	13	13	13	13	14	15	16	16	15	14	14	14	14	14	15	
3	mm	19	17	16	15	14	13	14	14	15	14	14	14	15	16	16	16	16	16	
4	mm	19	16	15	14	13	12	12	15	16	17	17	15	14	14	14	14	14	15	
5	mm	18	16	15	14	14	14	14	16	18	18	18	17	15	14	14	14	14	15	
<b>Griffgröße</b>																				
R 10	mm																			
11	mm																			
12	mm																			
13	mm																			
A 1	mm																			
2	mm																			
3	mm																			
4	mm																			
5	mm																			

Griff gem 14 - 18

20.09.01

Fig. 93c

Längsschnitte	Griffgröße	Handbreite b	Griff-länge L	L0	L1	LII	LIII	LIV	R	R1	R2	R3
	L	96	140									
L1				48	47	49	60		.1	85	105	150
L2					42	43	60		.2	70	125	65
L3					35	35	60		.3	60	200	65
L4					36	36	60		.4	70	150	125
L5					45	47	60		.5	50	100	60
	M	92	140	0,5 b								
L 1 = 0°				46	45	47	60		.1	85	100	144
2 = 90°					40	41	60		.2	67	120	62
3 = 180°					34	34	60		.3	57	190	62
4 = 270°					34	34	60		.4	67	144	120
5 = 45°					43	45	60		.5	48	96	57
	S	86	140/130									
L1				43	42	44	60/52		.1	76	94	134
L2					38	39	60/52		.2	63	112	58
L3					31	31	60/52		.3	54	180	58
L4					32	32	60/52		.4	63	134	112
L5					40	42	60/52		.5	45	90	54

Griff gem. Fig. 19 - 24 20.09.01

Fig. 94 a

Querschnitte	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	L																			
R 10	mm	13	12	12	11	11	12	12	14	15	15	17	16	14	14	14	15			
11	mm	80	80	60	40	30	24	23	23	21	17	15	15	17	24	25	25	26		
12	mm	15	13	12	11	11	12	13	14	14	13	12	12	13	14	15	15	16		
13	mm	18	15	11	9	8	9	25	25	23	22	21	21	23	24	24	24	25		
A 1	mm	20	19	18	17	17	18	19	21	22	22	22	20	19	18	17	17	17		
2	mm	18	17	15	14	13	13	12	13	15	16	17	18	17	16	15	16	17		
3	mm	23	23	22	20	18	16	14	14	15	15	15	15	15	15	18	20	22		
4	mm	20	19	18	16	14	13	12	13	14	15	15	15	14	14	15	16	17		
5	mm	20	19	17	15	14	13	14	15	18	20	20	20	19	17	16	15	16	16	
Griffgröße	M																			
R 10	mm	12	11	11	10	11	11	11	13	14	14	18	15	15	13	13	13	14		
11	mm	77	77	55	38	29	23	22	22	20	16	14	14	16	23	24	25			
12	mm	14	12	11	57	11	11	11	12	13	13	12	11	11	12	13	14	15		
13	mm	17	14	11	9	8	9	24	24	22	21	20	20	22	23	23	24	24		
A 1	mm	19	18	18	16	16	17	18	20	21	21	19	18	17	16	16	16	16		
2	mm	17	16	14	13	12	11	12	14	15	16	17	16	15	14	14	15	16		
3	mm	22	21	19	17	15	13	13	13	14	14	14	14	14	17	18	21			
4	mm	19	18	17	15	13	12	11	12	13	14	14	14	13	13	14	15	16		
5	mm	19	18	16	14	13	12	13	14	17	19	19	18	16	15	14	15	15		

Griff g m. Fig. 19-24

20.09.01

Fig. 94 b

0996WNAZO - 041202

		B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	L																				
R 10	mm																				
11	mm																				
12	mm																				
13	mm																				
A 1	mm																				
2	mm																				
3	mm																				
4	mm																				
5	mm																				
Griffgröße	S																				
R 10	mm	11,5	11	11	10	11	11	12,5	13	13	15	16	14	12,5	14	12	13				
11	mm	72	72	54	36	27	22	21	21	19	15	13	13	15	22	23	24				
12	mm	13	11,5	11	10	10	11	11	11,5	12,5	11,5	11	11	11,5	12,5	13	14				
13	mm	16	13	10	10	8	7	8	23	23	21	20	19	19	21	22	22	23			
A 1	mm	18	17	17	16	15	15	16	17	19	20	20	20	18	17	16	15	15	15		
2	mm	16	15	13	12,5	11,5	11	11,5	13	14	15	16	15	14	13	13	14	15			
3	mm	21	21	20	18	16	14	12,5	12,5	13	13	13	13	13	13	16	16	18	20		
4	mm	18	17	16	14	12,5	11,5	11	11,5	12,5	13	13	13	12,5	12,5	13	14	15			
5	mm	18	17	15	13	12,5	11,5	12,5	13	16	18	18	17	15	14	13	14	14			

Griff gem. Fig. 19-24

20.09.01

Fig. 94c

Längsschnitte	Griffgröße	Handbreite b	Griff-länge L	L0	L1	LII	LIII	LIV	R	R1	R2	R3
L 1 = 0°	M	92	130	0,5 b					.1	40	100	55
2 = 90°				46	40	46	60		2	45	110	45
3 = 180°					37	36	60		.3	35	175	40
4 = 270°					35	36	60		.4	30	110	45
5 = 45°					37	37	60		.5	40	110	50
	S	86	130	43	37	43	60/56	.1	37	94	51	
L 1					35	34	60/56	.2	42	104	42	
L 2					33	34	60/56	.3	33	164	37	
L 3					35	35	60/56	.4	28	104	37	
L 4					37	37	60/56	.5	37	104	47	
L 5												
	L	96	130									
L 1				48	42	48	60/63	.1	42	94	47	
L 2					39	38	60/63	.2	41	108	36	
L 3					37	38	60/63	.3	35	209	42	
L 4					39	39	60/63	.4	31	83	42	
L 5					42	42	60/63	.5	42	104	42	

Griff gem. Fig. 33 - 37 20.09.01

Fig. 95 a

Querschnitte	b	B	D	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröß	M	92																	
R 10	mm	19	16	12	13	14	16	17	19	15	14	15	15	14	15	15	20		
11	mm	19	16	14	15	16	16	17	19	18	17	16	16	16	16	16	20		
12	mm	19	13	11	12	14	13	16	19	15	11	13	15	15	15	15	19		
13	mm	19	17	15	15	17	19	20	19	20	21	17	17	18	18	18	19		
A 1	mm	19	17	16	18	20	21	22	21	20	19	17	17	17	17	17	18		
2	mm	19	15	13	13	14	15	15	15	13	12	11	11	14	14	14	19		
3	mm	19	14	11	11	12	13	13	12	12	11	11	11	14	14	14	19		
4	mm	19	14	11	12	13	15	16	16	14	13	13	13	15	15	15	19		
5	mm		17	16	17	19	20	20	20	18	17	15	15	17	17	17	19		
Griffgröß	L	96																	
R 10	mm		20	17	13	14	15	17	18	20	16	14	15	15	16	16	16	21	
11	mm		20	17	15	16	17	18	20	19	18	17	17	17	17	17	21		
12	mm		20	14	11,5	13	15	14	17	20	16	12	14	14	16	16	20		
13	mm		20	18	16	16	18	20	21	20	21	22	18	18	19	19	20		
A 1	mm		20	18	17	19	21	22	23	22	21	20	18	18	18	18	20		
2	mm		20	16	14	14	15	16	16	16	14	13	11,5	11,5	15	15	20		
3	mm		20	15	11,5	11,5	13	14	14	13	13	12	11,5	11,5	15	15	20		
4	mm		20	15	11,5	13	14	16	17	15	14	14	14	16	16	16	20		
5	mm			18	17	18	20	21	21	19	18	16	16	18	18	18	20		

		B	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröß	S																			
R 10	mm	18	15	11	12	13	15	16	18	14	14	13	14	14	14	14	14	14	19	
11	mm	18	15	13	14	15	15	16	18	17	16	15	15	15	15	15	15	15	19	
12	mm	18	12	10	11	13	12	15	18	14	10	12	14	14	14	14	14	14	18	
13	Mm	18	16	14	14	16	18	19	18	19	20	16	17	17	17	17	17	17	18	
A 1	mm	18	16	15	17	19	20	21	20	19	18	16	16	16	16	16	16	16	18	
2	mm	18	14	12	12	13	14	14	14	12	11	10	13	13	13	13	13	13	18	
3	mm	18	13	10	10	11	12	12	11	11	10	10	13	13	13	13	13	13	18	
4	mm	18	13	10	11	12	14	15	15	13	12	12	14	14	14	14	14	14	18	
5	mm			16	15	16	18	19	19	19	17	16	14	14	14	14	14	14	18	
Griffgröß	M																			
R 10	mm																			
11	mm																			
12	mm																			
13	mm																			
A 1	mm																			
2	mm																			
3	mm																			
4	mm																			
5	mm																			

Längsschnitte	Griffgröße	Handbreite b	Griff-Länge L	L0	L1	LII	LIII	LIV	R	R1	R2	R3
L 1 = 0°		L	96	140/135					.1	40	85	100
2 = 90°					48	45	43	53				
3 = 180°						45	-	53		2	50	95
4 = 270°						-	-	-		.3	-	-
5 = 45°						45	-	53		.4	50	-
							45	36		.5	50	150
		M	92	140/135								
L 1					46	43	41	50/53	.1	37	79	94
L 2						43	-	50/53	.2	47	89	185
L 3						-	-	-	.3	-	-	-
L 4						43	-	50/53	.4	47	-	-
L 5						43	34	50/53	.5	47	140	-
		S	86	140/135								
L 1					43	40	39	47/53	.1	36	76	89
L 2						40	-	47/53	.2	45	85	180
L 3						-	-	-	.3	-	-	-
L 4						40	-	47/53	.4	45	65	-
L 5						40	32	47/53	.5	45	135	-

Griff gem. Fig. 51 - 55 20.09.01

Fig. 96 a

Querschritte	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	M																			
R 10	mm	14	19	16	13	12	11	10	10	12	13	14	15	17	18	20	26	19	16	
11	mm	14	23	26	28	19	19	17	16	14	14	13	17	15	14	11	10	8	9	
12	mm																			
13	mm	14	19	18	16	12	11	9	10	10	12	14	14	13	13	13	19	16	18	
A 1	mm	14	21	19	18	18	17	17	18	16	14	12	11	9	9	9	9	9	9	
2	mm	14	19	16	13	11	10	10	9	10	11	12	12	12	14	14	14	14	12	
3	mm	15	19	17	14	11	9	8	8	9	10	12	14	13	13	11	10	9	9	
4	mm	14	20	19	17	16	16	15	15	16	15	16	17	19	18	18	17	15	14	
5	mm																			
Griffgröße	L																			
R 10	mm	14	18	16	12	11	10	10	10	11	12	12	14	14	16	17	18	21	21	15
11	mm	13	22	25	11	18	17	16	16	14	13	13	10	10	8	7	8	9	9	8
12	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	mm	13	18	17	25	12	10	10	10	10	12	14	15	14	13	12	12	12	168	
A 3 (1)	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 (2)	mm	14	18	15	13	11	9	8	9	9	10	11	11	11	12	12	13	13	12	
1 (3)	mm	15	18	17	13	10	8	8	8	9	11	13	13	12	11	9	8	8	8	
2 (4)	mm	14	19	19	17	14	13	13	14	14	15	16	17	18	17	16	14	14	13	
5	mm					13	11	10	9	9	10	11	13	14	14	13	12	11	11	

Griff gem. Fig. 51 - 55

20.09.01

Fig. 96 b

Querschnitte		E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
Griffgröße	M																	
R 10	mm	11	10	9	9	10	11	11	13	13	15	16	17	20	20	20	20	
11	mm	10	17	16	15	13	12	9	16/9	7,5	6,5	7,5	8,5	8,5	7,5	7,5	7,5	
12	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	mm	23	11	9	9	9	11	13	14	13	12	11	11	11	11	11	15/7,5	
A 1	mm	12	9	8,5	8	8	8,5	10	13	12	11	10	8,5	8	8	8	8	
2	mm	16	13	12	12	12	13	13	14	15	16	17	16	15	13	13	12	
3	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	mm	12	10	8,5	8,5	8	8,5	8,5	9	10	10	10	11	11	12	12	11	
5	mm	12	10	9	8,5	8,5	9	10	12	13	13	13	12	11	10	10	10	
Griffgröße	S																	
R 10	mm	11	10	9	9	9	10	11	11	12,5	12,5	14	15	16	19	19	19	
11	mm	10	16	15	14	14	12,5	11,5	11,5	9	15/9	7	7	7	8	8	7	
12	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	mm	22,5	11	9	9	9	9	11	12,5	13	12,5	11,5	11	11	11	11	14/7	
A 1	mm	11,5	9	7	7	7	7	8	10	12,5	11,5	11	10	8	7	7	7	
2	mm	15	12,5	11,5	11,5	12,5	12,5	13	14	15	16	15	14	12,5	12,5	11,5	11,5	
3	mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	mm	11,5	10	8	8	7	8	8	9	10	10	11	11	7	7	7	7	
5	mm	-	11,5	10	9	8	8	9	10	11,5	12,5	12,5	11,5	11	10	10	10	